

REBAR
PRODUCTS
from STALER





STALER GROUP

STALER was founded in 1989. It is a family business group which consists of STALER Towarzystwo Gospodarcze and STALER Market. STALER TG makes rebar products as well as constructions and is dedicated to work with large clients.

STALER Market is based on sales branches in Northern Poland and is dedicated to smaller customers.

Annual turnover of STALER Group is about 40 million EURO.



SOME OF OUR CERTIFICATES

TÜV NORD: ISO 9001:2015, ISO 1090 EXC3, ISO 3834-2

NORDCERT: Cutting and Bending Reinforcing Steel in diameter range 6-40mm. According to: SS 212540 and NS 3573-1, NS 3573-2, NS 3573-3.

NORDCERT: Tack Welding of Reinforcing Steel; Welded fabrics produced by Resistance; Welding of hot rolled Reinforcing Steel; Welding of Pile Cages According to: SS 212540 and NS 3573-1, NS 3573-2, NS 3573-3.



PRECAST REINFORCEMENTS

- BEAMS
- CAGES
- DIAPHRAGM WALLS





PRECAST REINFORCEMENTS vs. PARTIAL LOAD

Some customers are willing to buy light precast reinforcements and combine their shipments with some other STALER's made or trade products. Thanks to that, the whole capacity of the car – up to 24 tons - is used. In such a situation cost of the shipment per ton is lower.





REBAR STIRRUPS

Up to 1500 T / monthly

Rebars from $\varnothing 6$ to $\varnothing 40$


- CUT & BEND
- CUT – BEND – WELD





BOLTS, ANCHORS & TIES

*Almost everything made from bar and rebar,
finished by thread.*



MESHES

- STANDARD
- NON STANDARD by:
dimensions, shapes and diameters
- FLAT
- BENDED up to 6m width, up to \varnothing 12mm





BIGGEST SINGLE REALISATION IN SCANDINAVIA

For shipment of 30m long piles for the construction of a Tresfjord bridge in Norway, we had to rent whole ships.






CATENARY POLES, MASTS, NOISE BARRIER POLES

We have an experience as a producer of traction masts for Norwegian market, as well as a manufacturer of noise barrier poles.



Thank you for your attention



Kuba Nowakowski
k.nowakowski@staler.com.pl

